



The attached independent 3rd party lab testing show that this product has **passed** all necessary specifications to be Perfectly Pure Certified. Below are the specifications and the results from this batch of testing.

The specifications are:

| Test | Specs | Result |
|---------------------|--------------------|----------|
| Aerobic Plate Count | < 100,000 CFU/gram | ✓ Passed |
| Yeast | < 1,000 CFU/gram | ✓ Passed |
| Mold | < 1,000 CFU/gram | ✓ Passed |
| Coliform | < 1,000 MPN/gram | ✓ Passed |

| Test | Specs | Result |
|------------------------|--------|----------|
| Salmonella | Absent | ✓ Passed |
| E.Coli | Absent | ✓ Passed |
| Staphylococcus Aureus | Absent | ✓ Passed |
| Pseudomonas Aeruginosa | Absent | ✓ Passed |

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

Test Certificate

Description: Perfect Desiccated Liver Capsules
 Sample ID:
 Lot No: EO21703
 Location:
 Received: 6/11/2024
 Completed: 6/18/2024

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 135784-05


| Analysis | Result | Per Unit | Specifications | Method |
|-------------------------------|--------|--------------|----------------|-------------|
| Total Coliform | <3.0 | MPN/g | Report | AOAC 966.24 |
| Total Aerobic Microbial Count | <10 | CFU/g | Report | USP <2021> |
| E. coli | Absent | per 10 grams | Report | USP <2022> |
| Staphylococcus aureus | Absent | per 10 grams | Report | USP <2022> |
| Salmonella spp. | Absent | per 10 grams | Report | USP <2022> |
| Total Yeast & Mold Count | <10 | CFU/g | Report | USP <2021> |
| Yeast * | <10 | CFU/g | Report | USP <2021> |
| Mold * | <10 | CFU/g | Report | USP <2021> |
| Pseudomonas aeruginosa | Absent | per 10 grams | Report | USP <62> |

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Hebah Boaj-Quality Tech

Dated:

6/18/2024

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 6/18/2024 4:32:01 PM

