



The attached independent 3rd party lab testing show that this product has **passed** all necessary specifications to be Perfectly Pure Certified. Below are the specifications and the results from this batch of testing.

The specifications are:

Test	Specs	Result
Aerobic Plate Count	< 100,000 CFU/gram	✓ Passed
Yeast	< 1,000 CFU/gram	✓ Passed
Mold	< 1,000 CFU/gram	✓ Passed
Coliform	< 1,000 MPN/gram	✓ Passed

Test	Specs	Result
Salmonella	Absent	✓ Passed
E.Coli	Absent	✓ Passed
Staphylococcus Aureus	Absent	✓ Passed
Pseudomonas Aeruginosa	Absent	✓ Passed

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

Test Certificate

Description: Perfect Multi Organ Capsules
Sample ID:
Lot No: B100701
Location:
Received: 12/6/2021
Completed: 12/13/2021

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 114312-03

Analysis	Result	Per Unit	Method
Total Coliform	<3.0	mpn/gram	AOAC 966.24
Total Aerobic Microbial Count	13,000	CFU/gram	USP <2021>
E. coli	Absent	10 grams	USP <2022>
Staphylococcus aureus	Absent	10 grams	USP <2022>
Salmonella spp.	Absent	10 grams	USP <2022>
Total Yeast & Mold Count	<10	CFU/gram	USP <2021>
Yeast *	<10	CFU/gram	USP <2021>
Mold *	<10	CFU/gram	USP <2021>
Pseudomonas aeruginosa	Absent	10 grams	USP <62>

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Taylor Johnson
Taylor Johnson-Laboratory Technician

Dated: 12/13/2021

Printed: 12/13/2021 6:20:42 PM

