



The attached independent 3rd party lab testing show that this product has **passed** all necessary specifications to be Perfectly Pure Certified. Below are the specifications and the results from this batch of testing.

The specifications are:

Test	Specs	Result
Aerobic Plate Count	< 100,000 CFU/gram	✓ Passed
Yeast	< 1,000 CFU/gram	✓ Passed
Mold	< 1,000 CFU/gram	✓ Passed
Coliform	< 1,000 MPN/gram	✓ Passed

Test	Specs	Result
Salmonella	Absent	✓ Passed
E.Coli	Absent	✓ Passed
Staphylococcus Aureus	Absent	✓ Passed
Pseudomonas Aeruginosa	Absent	✓ Passed

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

## Test Certificate

Description: Perfect Spirulina Capsules  
Sample ID:  
Lot No: B061405  
Location:  
Received: 12/6/2021  
Completed: 12/13/2021

Client: Paul Morelli  
Perfect Supplements  
P.O. Box 60070  
Florence, MA 01062

Lab No: 114312-07

<b>Analysis</b>	<b>Result</b>	<b>Per Unit</b>	<b>Method</b>
Total Coliform	<3.0	mpn/gram	AOAC 966.24
Total Aerobic Microbial Count	<10	CFU/gram	USP <2021>
E. coli	Absent	10 grams	USP <2022>
Staphylococcus aureus	Absent	10 grams	USP <2022>
Salmonella spp.	Absent	10 grams	USP <2022>
Total Yeast & Mold Count	<10	CFU/gram	USP <2021>
Yeast *	<10	CFU/gram	USP <2021>
Mold *	<10	CFU/gram	USP <2021>
Pseudomonas aeruginosa	Absent	10 grams	USP <62>

\*For informational purposes only.

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By: Taylor Johnson  
Taylor Johnson-Laboratory Technician

Dated: 12/13/2021

Printed: 12/13/2021 6:20:42 PM

