



### **Statement on Heavy Metal Testing**

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

## Test Certificate

Description: Perfect Acerola Powder  
Sample ID:  
Lot No: EO40407  
Location:  
Received: 9/18/2024  
Completed: 9/24/2024

Client: Paul Morelli  
Perfect Supplements  
P.O. Box 60070  
Florence, MA 01062


Lab No: 138194-05

Analysis	Result	Per Unit	Specifications	Method
‡ Arsenic	0.014	mcg/1.3g	Report	ICP-MS USP <730>
‡ Cadmium	0.005	mcg/1.3g	Report	ICP-MS USP <730>
‡ Mercury	0.008	mcg/1.3g	Report	ICP-MS USP <730>
‡ Lead	0.020	mcg/1.3g	Report	ICP-MS USP <730>

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:



Hebah Boaj-Quality Tech

Dated:

9/24/2024

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 9/24/2024 3:31:14 PM





8969 Cleveland Road Clayton, NC 27520  
Phone: (919) 989-7793 Fax: (919) 989-9226  
Email: NCLab@advancedlabsinc.com  
FDA Registration #14353128308

## Test Certificate

Description: Perfect Acerola Powder  
Sample ID:  
Lot No: #D041801  
Location:  
Received: 6/13/2023  
Completed: 6/20/2023

Client: Paul Morelli  
Perfect Supplements  
P.O. Box 60070  
Florence, MA 01062

Lab No: 127004-08

Analysis	Result	Per Unit	Method
‡Arsenic	0.007	mcg/1.3g	ICP-MS USP <730>
‡Cadmium	0.005	mcg/1.3g	ICP-MS USP <730>
‡Mercury	<0.001	mcg/1.3g	ICP-MS USP <730>
‡Lead	0.048	mcg/1.3g	ICP-MS USP <730>

\*For informational purposes only.

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:

Hebah Boaj-Quality Tech

Dated:

6/20/2023

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 6/20/2023 1:54:56 PM



## Test Certificate

Description: Perfect Acerola Powder  
Sample ID:  
Lot No: B111101  
Location:  
Received: 4/22/2022  
Completed: 4/29/2022

Client: Paul Morelli  
Perfect Supplements  
P.O. Box 60070  
Florence, MA 01062


Lab No: 117514-01A

Analysis	Result	Per Unit	Method
Mercury	<0.001	mcg/1.3g	ICP-MS USP <730>
Lead	0.1196	mcg/1.3g	ICP-MS USP <730>
Arsenic	0.0741	mcg/1.3g	ICP-MS USP <730>
Cadmium	0.003	mcg/1.3g	ICP-MS USP <730>

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:



Bryant Harrison-Quality Manager

Dated:

4/29/2022

Tests were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115 Printed:

5/3/2022 4:04:20 PM

Lab No. 117514-01A  
replaces 117514-01

