



The attached independent 3rd party lab testing show that this product has **passed** all necessary specifications to be Perfectly Pure Certified. Below are the specifications and the results from this batch of testing.

The specifications are:

Test	Specs	Result
Aerobic Plate Count	< 100,000 CFU/gram	<b>✓</b> Passed
Yeast	< 1,000 CFU/gram	<b>✓</b> Passed
Mold	< 10,000 CFU/gram	<b>✓</b> Passed
Coliform	< 1,000 MPN/gram	<b>✓</b> Passed

Test	Specs	Result
Salmonella	Absent	<b>✓</b> Passed
E.Coli	Absent	<b>▼</b> Passed
Staphylococcus Aureus	Absent	<b>✓</b> Passed
Pseudomonas Aeruginosa	Absent	<b>✓</b> Passed

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2



If you liked our service, please tell a friend. If you didn't, please tell us!

8969 Cleveland Road, Clayton, NC 27520 Phone: 919-989-7793 Fax: 919-989-9226 Email: nclab@advancedlabsinc.com **FDA Registration #10560615298** 

## Test Certificate

Description: Perfect Baobab Powder

Sample ID:

Lot No: A092203

Location:

Received: 12/14/2020 Completed: 12/28/2020 Client: Paul Morelli

Perfect Supplements P.O. Box 60070 Florence, MA 01062

Lab No: 105300-01

Analysis	Result	Per Unit	<b>Specifications</b>	Method
Total Aerobic Microbial Count	<10	CFU/g	< 100,000 CFU/g	AOAC 966.23
Coliform	<10	MPN/g	< 1,000  MPN/g	AOAC 966.24
E. coli Count	<10	CFU/g	< 10 CFU/g	AOAC 991.14
Staphylococcus Count	<10	CFU/g	< 10 CFU/g	AOAC 975.55
Salmonella	Absent	per 25 grams	Absent	AOAC 2014.01
Total Yeast & Mold	8,200	CFU/g	< 11,000 CFU/g	AOAC 997.02
Yeast *	<10	CFU/g	< 1,000 CFU/g	AOAC 997.02
Mold *	8,200	CFU/g	< 10,000 CFU/g	AOAC 997.02
Pseudomonas aeruginosa	Absent	per 10 grams	Absent	USP <62>

<sup>\*</sup> For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

**Results Approved By:** 

Kaitlyn Thompson-Quality Technician

Laitlyn Thompso

**Dated:** 12/28/2020

Printed: 12/28/2020 10:38:21 AM



Received Date: 12/28/2020 Report Date: 1/6/2021



## **Advanced Botanical Consulting & Testing Inc.**

1169 Warner Ave, Tustin, CA 92780, Phone:(714)259-0384 Fax: (714)259-0385

Analyzed by:	Microbiologist	Approved by:	Abrar Sindi, Micro Supervisor	
A mahama di basa	Dryphan	Amman and hou	5.	>
Mold		USP 2021	3,200 CFU/G	Report amount
Analysis: Yeast		Method: USP 2021	<b>Result:</b> 70 CFU/G	<b>Spec:</b> Report amount
<b>Lab#</b> 325386		PO#		
Item#		<b>Lot#</b> A092	203	
Sample Name: Or	ganic Baobab			
		FAX#		
Method: USP 2021		<b>TEL#</b> (310)	605-1224	
Re-Test Using		<b>ATTN</b> : Oz M	artinez	

