

## Test Certificate

Description: Perfect Hydrolyzed Collagen  
Sample ID:  
Lot No: FHT0507A-1  
Location:  
Received: 11/1/2021  
Completed: 11/9/2021Client: Paul Morelli  
Perfect Supplements  
P.O. Box 60070  
Florence, MA 01062

Lab No: 113501-02


<b>Analysis</b>	<b>Result</b>	<b>Per Unit</b>	<b>Specifications</b>	<b>Method</b>
‡ Mercury	0.066	mcg/11g	Report	ICP-MS USP <730>
‡ Lead	0.979	mcg/11g	Report	ICP-MS USP <730>
‡ Arsenic	0.363	mcg/11g	Report	ICP-MS USP <730>
‡ Cadmium	0.066	mcg/11g	Report	ICP-MS USP <730>

*Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115*

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:



Solomon Jensen-Front Office Manager

Dated:

11/9/2021

Printed: 11/9/2021 7:32:25 PM

