

**Statement on Heavy Metal Testing**

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

Test Certificate

Description: Perfect Hydrolyzed Collagen
Sample ID:
Lot No: #FHT2866A
Location:
Received: 8/8/2025
Completed: 8/15/2025

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062


Lab No: 147435-12

Analysis	Result	Per Unit	Specifications	Method
‡ Arsenic	0.242	mcg/11g	Report	ICP-MS USP <730>
‡ Cadmium	<0.011	mcg/11g	Report	ICP-MS USP <730>
‡ Mercury	<0.011	mcg/11g	Report	ICP-MS USP <730>
‡ Lead	0.143	mcg/11g	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Hebah Boaj-Quality Tech

Dated:

8/15/2025

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 8/15/2025 2:45:44 PM



Test Certificate

Description: Perfect Hydrolyzed Collagen
Sample ID:
Lot No: FHP1211A
Location:
Received: 9/18/2024
Completed: 9/24/2024

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062


Lab No: 138194-07

Analysis	Result	Per Unit	Specifications	Method
‡ Arsenic	0.352	mcg/11g	Report	ICP-MS USP <730>
‡ Cadmium	0.374	mcg/11g	Report	ICP-MS USP <730>
‡ Mercury	0.066	mcg/11g	Report	ICP-MS USP <730>
‡ Lead	0.055	mcg/11g	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Hebah Boaj-Quality Tech

Dated:

9/24/2024

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 9/24/2024 3:31:14 PM





8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Perfect Hydrolyzed Collagen
Sample ID:
Lot No: FHT1602A
Location:
Received: 10/24/2023
Completed: 10/31/2023

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 130192-03

Analysis	Result	Per Unit	Method
‡Arsenic	0.121	mcg/11g	ICP-MS USP <730>
‡Cadmium	0.011	mcg/11g	ICP-MS USP <730>
‡Mercury	<0.011	mcg/11g	ICP-MS USP <730>
‡Lead	0.429	mcg/11g	ICP-MS USP <730>

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Hebah Boaj-Quality Tech

Dated:

10/31/2023

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 10/31/2023 9:59:09 AM





8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Perfect Hydrolyzed Collagen
Sample ID:
Lot No: #FHT1265A
Location:
Received: 10/31/2022
Completed: 11/10/2022

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 121903-01

Analysis	Result	Per Unit	Method
‡Arsenic	0.154	mcg/11g	ICP-MS USP <730>
‡Cadmium	<0.011	mcg/11g	ICP-MS USP <730>
‡Mercury	<0.011	mcg/11g	ICP-MS USP <730>
‡Lead	0.055	mcg/11g	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Bryant Harrison-Quality Manager

Dated:

11/10/2022

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 11/10/2022 5:52:53 PM





8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Perfect Hydrolyzed Collagen
Sample ID:
Lot No: FHT1204A-1
Location:
Received: 10/4/2022
Completed: 10/17/2022

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 121192-04

Analysis	Result	Per Unit	Method
Arsenic	0.495	mcg/11g	ICP-MS USP <730>
Cadmium	0.077	mcg/11g	ICP-MS USP <730>
Mercury	0.143	mcg/11g	ICP-MS USP <730>
Lead	0.308	mcg/11g	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Bryant Harrison-Quality Manager

Dated:

10/17/2022

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 10/17/2022 6:19:36 PM





8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Perfect Hydrolyzed Collagen Powder
Sample ID:
Lot No: FHP0359A-1
Location:
Received: 2/7/2022
Completed: 2/14/2022

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 115720-01


Analysis	Result	Per Unit	Method
Total Coliform	<3.0	MPN/g	AOAC 966.24
‡Lead	0.176	mcg/11g	ICP-MS USP <730>
Total Aerobic Microbial Count	1400	CFU/g	USP <2021>
E. coli	Absent	per 10 grams	USP <2022>
Staphylococcus aureus	Absent	per 10 grams	USP <2022>
Salmonella spp.	Absent	per 10 grams	USP <2022>
Total Yeast & Mold Count	<10	CFU/g	USP <2021>
Yeast *	<10	CFU/g	USP <2021>
Mold *	<10	CFU/g	USP <2021>
Pseudomonas aeruginosa	Absent	per 10 grams	USP <62>

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:


Steven Sartori Laboratory Technician

Dated:

2/14/2022

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 2/14/2022 5:16:30 PM





If you liked our service, please tell a friend. If you didn't, please tell us!

8969 Cleveland Road, Clayton, NC 27520

Phone: 919-989-7793 Fax: 919-989-9226

Email: nclab@advancedlabsinc.com

FDA Registration #2000040668

Test Certificate

Description: Perfect Hydrolyzed Collagen

Sample ID:

Lot No: FHO672A

Part Code:

Location: Powdered Collagen

PO No: Kimberly(PD)

Client: Paul Morelli

Perfect Supplements

P.O. Box 60070

Florence, MA 01062

Lab No: 89746-01

Analysis	Result	Per Unit	Specifications	Method
‡ Mercury	< 0.011	mcg/11g	Report	ICP-MS USP <730>
‡ Lead	0.319	mcg/11g	Report	ICP-MS USP <730>
‡ Arsenic	0.132	mcg/11g	Report	ICP-MS USP <730>
‡ Cadmium	0.011	mcg/11g	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Erin Taylor-Quality Technician I

Dated: _____

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

