



The attached independent 3rd party lab testing show that this product has **passed** all necessary specifications to be Perfectly Pure Certified. Below are the specifications and the results from this batch of testing.

The specifications are:

Test	Specs	Result
Aerobic Plate Count	< 100,000 CFU/gram	✓ Passed
Yeast	< 1,000 CFU/gram	✓ Passed
Mold	< 1,000 CFU/gram	✓ Passed
Coliform	< 1,000 MPN/gram	✓ Passed

Test	Specs	Result
Salmonella	Absent	✓ Passed
E.Coli	Absent	✓ Passed
Staphylococcus Aureus	Absent	✓ Passed
Pseudomonas Aeruginosa	Absent	✓ Passed

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

 Description: Perfect Hydrolyzed Collagen
 Sample ID:
 Lot No: FHP0140A
 Location:
 Received: 3/8/2021
 Completed: 3/15/2021

 Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 107438-03


Analysis	Result	Per Unit	Specifications	Method
Coliform	<3.0	MPN/g	Report	AOAC 966.24
Pseudomonas aeruginosa	Absent	per 10 grams	Report	USP <62>
Total Aerobic Microbial Count	<10	CFU/g	Report	USP <2021>
E.coli	Absent	per 10 grams	Report	USP <2022>
Staphylococcus Aureus	Absent	per 10 grams	Report	USP <2022>
Salmonella	Absent	per 10 grams	Report	USP <2022>
Total Yeast & Mold	<10	CFU/g	Report	USP <2021>
Yeast *	<10	CFU/g	Report	USP <2021>
Mold *	<10	CFU/g	Report	USP <2021>

* For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Annakarina Thornock-Quality Tech

Dated:

3/15/2021

Printed: 3/15/2021 8:19:52 PM

