



The attached independent 3rd party lab testing show that this product has **passed** all necessary specifications to be Perfectly Pure Certified. Below are the specifications and the results from this batch of testing.

The specifications are:

Test	Specs	Result
Aerobic Plate Count	< 100,000 CFU/gram	<input checked="" type="checkbox"/> Passed
Yeast	< 1,000 CFU/gram	<input checked="" type="checkbox"/> Passed
Mold	< 1,000 CFU/gram	<input checked="" type="checkbox"/> Passed
Coliform	< 1,000 MPN/gram	<input checked="" type="checkbox"/> Passed

Test	Specs	Result
Salmonella	Absent	<input checked="" type="checkbox"/> Passed
E.Coli	Absent	<input checked="" type="checkbox"/> Passed
Staphylococcus Aureus	Absent	<input checked="" type="checkbox"/> Passed
Pseudomonas Aeruginosa	Absent	<input checked="" type="checkbox"/> Passed

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2



8969 Cleveland Road, Clayton, NC 27520
 Phone: 919-989-7793 Fax: 919-989-9226
 Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: Perfect Hydrolyzed Collagen
 Sample ID:
 Lot No: FHT0242A
 Location:
 Received: 10/2/2020
 Completed: 10/8/2020

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 103507-01

Analysis	Result	Per Unit	Method
Coliform	<3.0	MPN/g	AOAC 966.24
Pseudomonas aeruginosa	Absent	per 10 grams	USP <62>
Total Aerobic Microbial Count	<10	CFU/g	USP <2021>
E.coli	Absent	per 10 grams	USP <2022>
Staphylococcus Aureus	Absent	per 10 grams	USP <2022>
Salmonella	Absent	per 10 grams	USP <2022>
Total Yeast & Mold	<10	CFU/g	USP <2021>
Yeast *	<10	CFU/g	USP <2021>
Mold *	<10	CFU/g	USP <2021>

* For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: *Kaitlyn Thompson*
 Kaitlyn Thompson-Quality Technician

Dated: 10/8/2020

Printed: 10/8/2020 5:26:50 PM

