



8969 Cleveland Road, Clayton, NC 27520
 Phone: 919-989-7793 Fax: 919-989-9226
 Email: nclab@advancedlabsinc.com
FDA Registration #2000040668

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: Perfect Hydrolyzed Collagen
 Sample ID:
 Lot No: FHO672A
 Part Code:
 Location: Powdered Collagen
 PO No: Kimberly(PD)


Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 89746-01

Analysis	Result	Per Unit	Specifications	Method
‡ Mercury	< 0.011	mcg/11g	Report	ICP-MS USP <730>
‡ Lead	0.319	mcg/11g	Report	ICP-MS USP <730>
‡ Arsenic	0.132	mcg/11g	Report	ICP-MS USP <730>
‡ Cadmium	0.011	mcg/11g	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: 
 Erin Taylor-Quality Technician I

Dated: _____

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

