



Statement on Heavy Metal Testing

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

Test Certificate

Description: Perfect Desiccated Liver Powder
Sample ID:
Lot No: EO72308
Location:
Received: 11/26/2024
Completed: 12/3/2024

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062


Lab No: 139869-01

Analysis	Result	Per Unit	Specifications	Method
‡ Arsenic	0.085	ppm	Report	ICP-MS USP <730>
‡ Cadmium	0.139	ppm	Report	ICP-MS USP <730>
‡ Mercury	0.002	ppm	Report	ICP-MS USP <730>
‡ Lead	0.073	ppm	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Hebah Boaj-Quality Tech

Dated:

12/3/2024

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 12/3/2024 2:37:32 PM





8969 Cleveland Road Clayton, NC 27520
 Phone: (919) 989-7793 Fax: (919) 989-9226
 Email: NCLab@advancedlabsinc.com
 FDA Registration #14353128308

Test Certificate

Description: Perfect Desiccated Liver Powder
 Sample ID:
 Lot No: #D031103
 Location:
 Received: 6/13/2023
 Completed: 6/20/2023

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 127004-01

Analysis	Result	Per Unit	Method
‡Arsenic	0.090	mcg/3g	ICP-MS USP <730>
‡Cadmium	0.246	mcg/3g	ICP-MS USP <730>
‡Mercury	0.006	mcg/3g	ICP-MS USP <730>
‡Lead	0.468	mcg/3g	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Hebah Boaj
 Hebah Boaj-Quality Tech

Dated: 6/20/2023

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 6/20/2023 1:54:56 PM





8969 Cleveland Road Clayton, NC 27520
 Phone: (919) 989-7793 Fax: (919) 989-9226
 Email: NCLab@advancedlabsinc.com
 FDA Registration #14353128308

Test Certificate

Description: Perfect Dessicated Liver Powder
 Sample ID:
 Lot No: #C102201
 Location:
 Received: 12/28/2022
 Completed: 1/9/2023

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 123209-10

Analysis	Result	Per Unit	Method
‡Arsenic	0.027	mcg/3g	ICP-MS USP <730>
‡Cadmium	0.092	mcg/3g	ICP-MS USP <730>
‡Mercury	0.001	mcg/3g	ICP-MS USP <730>
‡Lead	0.048	mcg/3g	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Bryant K. Harrison
 Bryant Harrison-Quality Manager

Dated: 1/9/2023

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 1/9/2023 6:07:31 PM





8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Perfect Desiccated Liver Powder
Sample ID:
Lot No: C012701
Location:
Received: 4/22/2022
Completed: 4/29/2022

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 117514-03A

Analysis	Result	Per Unit	Method
Mercury	<0.001	mcg/3g	ICP-MS USP <730>
Lead	0.246	mcg/3g	ICP-MS USP <730>
Arsenic	0.123	mcg/3g	ICP-MS USP <730>
Cadmium	0.117	mcg/3g	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Bryant Harrison-Quality Manager

Dated:

4/29/2022

Tests were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 5/3/2022 4:04:20 PM





8969 Cleveland Road, Clayton, NC 27520
 Phone: 919-989-7793 Fax: 919-989-9226
 Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

Test Certificate

Description: Perfect Desiccated Liver Powder
 Sample ID:
 Lot No: B042601
 Location:
 Received: 6/14/2021
 Completed: 6/21/2021

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062


Lab No: 110091-05

Analysis	Result	Per Unit	Method
‡Mercury	<0.003	mcg/3g	ICP-MS USP <730>
‡Lead	0.381	mcg/3g	ICP-MS USP <730>
‡Arsenic	0.261	mcg/3g	ICP-MS USP <730>
‡Cadmium	0.168	mcg/3g	ICP-MS USP <730>

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: 
 Erikka Waldrep-Front Office Manager

Dated: 6/21/2021

Printed: 6/21/2021 3:47:02 PM

