



Statement on Heavy Metal Testing

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

Test Certificate

Description: Perfect Desiccated Liver Powder
Sample ID:
Lot No: C012701
Location:
Received: 4/22/2022
Completed: 4/29/2022

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062


Lab No: 117514-03A

| Analysis | Result | Per Unit | Method |
|----------|--------|----------|------------------|
| Mercury | <0.001 | mcg/3g | ICP-MS USP <730> |
| Lead | 0.246 | mcg/3g | ICP-MS USP <730> |
| Arsenic | 0.123 | mcg/3g | ICP-MS USP <730> |
| Cadmium | 0.117 | mcg/3g | ICP-MS USP <730> |

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Bryant Harrison-Quality Manager

Dated:

4/29/2022

Tests were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 5/3/2022 4:04:20 PM



Test Certificate

Description: Perfect Desiccated Liver Powder
Sample ID:
Lot No: B042601
Location:
Received: 6/14/2021
Completed: 6/21/2021Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 110091-05

| Analysis | Result | Per Unit | Method |
|-----------------|---------------|-----------------|------------------|
| ‡Mercury | <0.003 | mcg/3g | ICP-MS USP <730> |
| ‡Lead | 0.381 | mcg/3g | ICP-MS USP <730> |
| ‡Arsenic | 0.261 | mcg/3g | ICP-MS USP <730> |
| ‡Cadmium | 0.168 | mcg/3g | ICP-MS USP <730> |

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:


Erikka Waldrep-Front Office Manager

Dated:

6/21/2021

Printed: 6/21/2021 3:47:02 PM

