



Statement on Heavy Metal Testing

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2



8969 Cleveland Road Clayton, NC 27520
 Phone: (919) 989-7793 Fax: (919) 989-9226
 Email: NCLab@advancedlabsinc.com
 FDA Registration #14353128308

Test Certificate

Description: Perfect Bovine Gelatin
 Sample ID:
 Lot No: #FY0270
 Location:
 Received: 7/24/2023
 Completed: 7/31/2023

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 127963-06

Analysis	Result	Per Unit	Method
‡Arsenic	0.176	mcg/11g	ICP-MS USP <730>
‡Cadmium	0.011	mcg/11g	ICP-MS USP <730>
‡Mercury	<0.011	mcg/11g	ICP-MS USP <730>
‡Lead	0.308	mcg/11g	ICP-MS USP <730>

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Hebah Boaj-Quality Tech

Dated:

7/31/2023

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 7/31/2023 3:47:45 PM



Test Certificate

Description: Perfect Gelatin
Sample ID:
Lot No: FG9727
Location:
Received: 5/24/2021
Completed: 6/1/2021Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 109598-05

Analysis	Result	Per Unit	Method
‡Mercury	<0.011	mcg/11g	ICP-MS USP <730>
‡Lead	0.506	mcg/11g	ICP-MS USP <730>
‡Arsenic	0.022	mcg/11g	ICP-MS USP <730>
‡Cadmium	0.044	mcg/11g	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: _____



Kaitlyn Thompson-Quality Technician

Dated: 6/1/2021

Printed: 6/1/2021 4:04:58 PM

