



Statement on Heavy Metal Testing

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

Test Certificate

Description: Perfect Magnesium Powder
Sample ID:
Lot No: EO52102
Location:
Received: 9/18/2024
Completed: 9/24/2024

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062


Lab No: 138194-03

Analysis	Result	Per Unit	Specifications	Method
‡ Arsenic	0.052	mcg/2.25g	Report	ICP-MS USP <730>
‡ Cadmium	0.002	mcg/2.25g	Report	ICP-MS USP <730>
‡ Mercury	0.002	mcg/2.25g	Report	ICP-MS USP <730>
‡ Lead	0.011	mcg/2.25g	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Hebah Boaj-Quality Tech

Dated:

9/24/2024

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 9/24/2024 3:31:14 PM





8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Perfect Magnesium Powder
Sample ID:
Lot No: #C051805
Location:
Received: 10/31/2022
Completed: 11/10/2022

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 121903-10

Analysis	Result	Per Unit	Method
‡Arsenic	0.018	mcg/2.25g	ICP-MS USP <730>
‡Cadmium	0.016	mcg/2.25g	ICP-MS USP <730>
‡Mercury	<0.002	mcg/2.25g	ICP-MS USP <730>
‡Lead	0.043	mcg/2.25g	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Bryant Harrison-Quality Manager

Dated:

11/10/2022

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 11/10/2022 5:52:53 PM



Test Certificate

Description: Perfect Magnesium Powder
Sample ID:
Lot No: B061407
Location:
Received: 11/1/2021
Completed: 11/9/2021Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 113501-05


<u>Analysis</u>	<u>Result</u>	<u>Per Unit</u>	<u>Specifications</u>	<u>Method</u>
‡ Mercury	0.005	mcg/2.25g	Report	ICP-MS USP <730>
‡ Lead	0.115	mcg/2.25g	Report	ICP-MS USP <730>
‡ Arsenic	0.081	mcg/2.25g	Report	ICP-MS USP <730>
‡ Cadmium	<0.002	mcg/2.25g	Report	ICP-MS USP <730>

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Solomon Jensen-Front Office Manager

Dated:

11/9/2021

Printed: 11/9/2021 7:32:25 PM





8969 Cleveland Road, Clayton, NC 27520
 Phone: 919-989-7793 Fax: 919-989-9226
 Email: nclab@advancedlabsinc.com
FDA Registration #2000040668

Test Certificate

Description: Perfect Magnesium
 Sample ID:
 Lot No: 9070108
 Part Code:
 Location:
 PO No: Kim


Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 89551-01

Analysis	Result	Per Unit	Method
‡Mercury	< 0.002	mcg/2.25g	ICP-MS USP <730>
‡Lead	0.025	mcg/2.25g	ICP-MS USP <730>
‡Arsenic	< 0.002	mcg/2.25g	ICP-MS USP <730>
‡Cadmium	< 0.002	mcg/2.25g	ICP-MS USP <730>
‡Magnesium	417,825	mcg/2.25g	ICP-OES USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: 
 Erin Taylor-Quality Technician I

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 10/2/2019 1:13:04 PM

