

#### **Statement on Heavy Metal Testing**

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2



8969 Cleveland Road Clayton, NC 27520 Phone: (919) 989-7793 Fax: (919) 989-9226 Email: NCLab@advancedlabsinc.com

### FDA Registration #14353128308

# **Test Certificate**

Description: Perfect Magnesium Capsules

Terrect Wagnesium Capsure

Lot No: EO72305

Location:

Sample ID:

Received: 9/18/2024

Completed: 9/24/2024

Client: Paul Morelli

Perfect Supplements P.O. Box 60070

Florence, MA 01062

Lab No: 138194-10

Analysis	Result	Per Unit	<b>Specifications</b>	Method
‡ Arsenic	0.028	mcg/2,025mg	Report	ICP-MS USP <730>
‡ Cadmium	0.002	mcg/2,025mg	Report	ICP-MS USP <730>
‡ Mercury	< 0.002	mcg/2,025mg	Report	ICP-MS USP <730>
‡ Lead	0.006	mcg/2,025mg	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

**Results Approved By:** 

Hebah Boaj-Quality Tech

Dated:

9/24/2024

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 9/24/2024 3:31:14 PM





8969 Cleveland Road Clayton, NC 27520 Phone: (919) 989-7793 Fax: (919) 989-9226 Email: NCLab@advancedlabsinc.com

**Perfect Supplements** 

Florence, MA 01062

P.O. Box 60070

FDA Registration #14353128308

Client: Paul Morelli

## Test Certificate

Description: Perfect Magnesium Capsules

Sample ID:

Lot No: D080402

Location:

Received: 10/24/2023 Completed: 10/31/2023

Lab No: 130192-04

Analysis	Result	Per Unit	Method	
‡Arsenic	0.063	mcg/2025mg	ICP-MS USP <730>	
‡Cadmium	< 0.002	mcg/2025mg	ICP-MS USP <730>	
‡Mercury	< 0.002	mcg/2025mg	ICP-MS USP <730>	
‡Lead	0.012	mcg/2025mg	ICP-MS USP <730>	

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

**Results Approved By:** 

Hebah Boaj-Quality Tech

Dated:

10/31/2023

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115 Printed: 10/31/2023 9:59:09 AM





8969 Cleveland Road Clayton, NC 27520 Phone: (919) 989-7793 Fax: (919) 989-9226 Email: NCLab@advancedlabsinc.com FDA Registration #14353128308

## Test Certificate

Description: Perfect Magnesium Capsules Client: Paul Morelli

Sample ID:

Lot No: #C091801

Location:

Received: 10/31/2022 Completed: 11/10/2022

**Perfect Supplements** P.O. Box 60070 Florence, MA 01062

Lab No: 121903-04

Analysis	Result	Per Unit	Method
‡Arsenic	< 0.002	mcg/3 caps	ICP-MS USP <730>
‡Cadmium	< 0.002	mcg/3 caps	ICP-MS USP <730>
‡Mercury	0.004	mcg/3 caps	ICP-MS USP <730>
‡Lead	< 0.002	mcg/3 caps	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

**Results Approved By:** 

Bryant Harrison-Quality Manager

Dated:

11/10/2022

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 11/10/2022 5:52:53 PM

