



The attached independent 3rd party lab testing show that this product has **passed** all necessary specifications to be Perfectly Pure Certified. Below are the specifications and the results from this batch of testing.

The specifications are:

| Test | Specs | Result |
|---------------------|--------------------|----------|
| Aerobic Plate Count | < 100,000 CFU/gram | ✓ Passed |
| Yeast | < 1,000 CFU/gram | ✓ Passed |
| Mold | < 1,000 CFU/gram | ✓ Passed |
| Coliform | < 1,000 MPN/gram | ✓ Passed |

| Test | Specs | Result |
|------------------------|--------|----------|
| Salmonella | Absent | ✓ Passed |
| E.Coli | Absent | ✓ Passed |
| Staphylococcus Aureus | Absent | ✓ Passed |
| Pseudomonas Aeruginosa | Absent | ✓ Passed |

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2



8969 Cleveland Road, Clayton, NC 27520
 Phone: 919-989-7793 Fax: 919-989-9226
 Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: Perfect Magnesium Capsules
 Sample ID:
 Lot No: A032601
 Location:
 Received: 6/29/2020
 Completed: 7/7/2020

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 100996-04

| Analysis | Result | Per Unit | Method |
|-------------------------------|--------|--------------|-------------|
| Coliform | <3.0 | MPN/g | AOAC 966.24 |
| Total Aerobic Microbial Count | <10 | CFU/g | USP <2021> |
| E.coli | Absent | per 10 grams | USP <2022> |
| Pseudomonas Aeruginosa | Absent | per 10 grams | USP <62> |
| Salmonella | Absent | per 10 grams | USP <2022> |
| Staphylococcus Aureus | Absent | per 10 grams | USP <2022> |
| Total Yeast & Mold | <10 | CFU/g | USP <2021> |
| Yeast * | <10 | CFU/g | USP <2021> |
| Mold * | <10 | CFU/g | USP <2021> |

* For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Kaitlyn Thompson

Results Approved By: _____
 Kaitlyn Thompson-Quality Technician

Dated: 7/7/2020

Printed: 7/7/2020 12:34:25 PM

