



### **Statement on Heavy Metal Testing**

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2



8969 Cleveland Road Clayton, NC 27520  
Phone: (919) 989-7793 Fax: (919) 989-9226  
Email: NCLab@advancedlabsinc.com  
FDA Registration #14353128308

## Test Certificate

Description: Perfect Matchinga  
Sample ID:  
Lot No: B122109  
Location:  
Received: 3/7/2022  
Completed: 3/21/2022

Client: Paul Morelli  
Perfect Supplements  
P.O. Box 60070  
Florence, MA 01062

Lab No: 116323-10A

Analysis	Result	Per Unit	Method
Lead	0.210	mcg/3g	ICP-MS USP <730>

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:

Sarah Wong-Quality Technician

Dated:

3/21/2022

Printed: 3/21/2022 5:40:31 PM





8969 Cleveland Road, Clayton, NC 27520  
 Phone: 919-989-7793 Fax: 919-989-9226  
 Email: nclab@advancedlabsinc.com  
 FDA Registration #10560615298

## Test Certificate

Description: Perfect Matchinga  
 Sample ID:  
 Lot No: A092212  
 Location:  
 Received: 11/1/2021  
 Completed: 11/9/2021

Client: Paul Morelli  
 Perfect Supplements  
 P.O. Box 60070  
 Florence, MA 01062

Lab No: 113501-06


Analysis	Result	Per Unit	Specifications	Method
‡ Mercury	0.027	mcg/3g	Report	ICP-MS USP <730>
‡ Lead	1.017	mcg/3g	Report	ICP-MS USP <730>
‡ Arsenic	0.300	mcg/3g	Report	ICP-MS USP <730>
‡ Cadmium	<0.003	mcg/3g	Report	ICP-MS USP <730>

*Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115*

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:



Solomon Jensen-Front Office Manager

Dated:

11/9/2021

Printed: 11/9/2021 7:32:25 PM

