



### **Statement on Heavy Metal Testing**

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

The attached results were from the Perfect Mushroom Immunity Powder (2.4 grams/serving). The Perfect Mushroom Immunity Capsules (1.5 grams/serving) were made from the exact same source material.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2



8969 Cleveland Road Clayton, NC 27520  
 Phone: (919) 989-7793 Fax: (919) 989-9226  
 Email: NCLab@advancedlabsinc.com  
 FDA Registration #14353128308

## Test Certificate

Description: Perfect Mushroom Immunity Caps  
 Sample ID:  
 Lot No: #C031206  
 Location:  
 Received: 10/31/2022  
 Completed: 11/10/2022

Client: Paul Morelli  
 Perfect Supplements  
 P.O. Box 60070  
 Florence, MA 01062

Lab No: 121903-07

Analysis	Result	Per Unit	Method
‡Arsenic	0.196	mcg/3 caps	ICP-MS USP <730>
‡Cadmium	0.169	mcg/3 caps	ICP-MS USP <730>
‡Mercury	<0.001	mcg/3 caps	ICP-MS USP <730>
‡Lead	0.214	mcg/3 caps	ICP-MS USP <730>

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By: Bryant K. Harrison  
 Bryant Harrison-Quality Manager

Dated: 11/10/2022

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115  
 Printed: 11/10/2022 5:52:53 PM





8969 Cleveland Road Clayton, NC 27520  
Phone: (919) 989-7793 Fax: (919) 989-9226  
Email: NCLab@advancedlabsinc.com  
FDA Registration #14353128308

## Test Certificate

Description: Perfect Mushroom Immunity  
Sample ID:  
Lot No: C031206  
Location:  
Received: 8/8/2022  
Completed: 8/15/2022

Client: Paul Morelli  
Perfect Supplements  
P.O. Box 60070  
Florence, MA 01062

Lab No: 119838-01

Analysis	Result	Per Unit	Method
Mercury	<0.002	mcg/tsp	ICP-MS USP <730>
Lead	0.043	mcg/tsp	ICP-MS USP <730>
Arsenic	0.137	mcg/tsp	ICP-MS USP <730>
Cadmium	0.334	mcg/tsp	ICP-MS USP <730>

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:

Bryant Harrison-Quality Manager

Dated:

8/15/2022

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 8/15/2022 12:44:18 PM



## Test Certificate

Description: Perfect Mushroom Immunity Capsules  
Sample ID:  
Lot No: #DO92801  
Location:  
Received: 4/22/2024  
Completed: 5/6/2024

Client: Paul Morelli  
Perfect Supplements  
P.O. Box 60070  
Florence, MA 01062


Lab No: 134578-02

Analysis	Result	Per Unit	Specifications	Method
‡ Arsenic	0.021	mcg/1500mg	Report	ICP-MS USP <730>
‡ Cadmium	0.021	mcg/1500mg	Report	ICP-MS USP <730>
‡ Mercury	<0.002	mcg/1500mg	Report	ICP-MS USP <730>
‡ Lead	0.023	mcg/1500mg	Report	ICP-MS USP <730>

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:



Hebah Boaj-Quality Tech

Dated:

5/6/2024

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 5/6/2024 10:17:50 AM

