



The attached independent 3rd party lab testing show that this product has **passed** all necessary specifications to be Perfectly Pure Certified. Below are the specifications and the results from this batch of testing.

The specifications are:

| Test | Specs | Result |
|---------------------|--------------------|----------|
| Aerobic Plate Count | < 100,000 CFU/gram | ✓ Passed |
| Yeast | < 1,000 CFU/gram | ✓ Passed |
| Mold | < 1,000 CFU/gram | ✓ Passed |
| Coliform | < 1,000 MPN/gram | ✓ Passed |

| Test | Specs | Result |
|------------------------|--------|----------|
| Salmonella | Absent | ✓ Passed |
| E.Coli | Absent | ✓ Passed |
| Staphylococcus Aureus | Absent | ✓ Passed |
| Pseudomonas Aeruginosa | Absent | ✓ Passed |

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2

Test Certificate

Description: Spirulina Capsules
Sample ID:
Lot No: 9022603
Location:
Received: 3/17/2020
Completed: 3/24/2020

Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062

Lab No: 97138-03

| Analysis | Result | Per Unit | Method |
|-------------------------------|--------|--------------|-------------|
| Coliform | <3.0 | MPN/g | AOAC 966.24 |
| Total Aerobic Microbial Count | 890 | CFU/g | USP <2021> |
| E.coli | Absent | per 10 grams | USP <2022> |
| Staphylococcus Aureus | Absent | per 10 grams | USP <2022> |
| Salmonella | Absent | per 10 grams | USP <2022> |
| Pseudomonas Aeruginosa | Absent | per 10 grams | USP <62> |
| Total Yeast & Mold | <10 | CFU/g | USP <2021> |
| Yeast * | <10 | CFU/g | USP <2021> |
| Mold * | <10 | CFU/g | USP <2021> |

* For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Kaitlyn Thompson-Quality Technician

Dated: 3/24/2020

Printed: 3/24/2020 1:57:33 PM

