



8969 Cleveland Road Clayton, NC 27520
 Phone: (919) 989-7793 Fax: (919) 989-9226
 Email: NCLab@advancedlabsinc.com
 FDA Registration #14353128308

Test Certificate

Description: Perfect Spirulina Powder
 Sample ID:
 Lot No: D080404
 Location:
 Received: 9/26/2023
 Completed: 10/2/2023

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 129518-06

Analysis	Result	Per Unit	Method
‡Arsenic	0.291	mcg/3000mg	ICP-MS USP <730>
‡Cadmium	0.090	mcg/3000mg	ICP-MS USP <730>
‡Mercury	0.009	mcg/3000mg	ICP-MS USP <730>
‡Lead	0.570	mcg/3000mg	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Erikka Waldrep-Front Office Manager

Dated:

10/2/2023

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 10/2/2023 4:35:25 PM

