



Statement on Heavy Metal Testing

We require lab assays from all of our ingredient suppliers to ensure that all of our products meet and exceed all established federal safety standards for heavy metals.

In addition, we do spot testing on lots from time to time, as an added layer of testing.

Attached are result(s) from past spot lot testing. As with any natural product, levels will vary from batch to batch, so these result(s) are intended to provide the consumer a sample of past results rather than the exact results for any specific batch.

CONTINUE TO THE 3rd PARTY LAB RESULTS ON PAGE 2



8969 Cleveland Road Clayton, NC 27520
 Phone: (919) 989-7793 Fax: (919) 989-9226
 Email: NCLab@advancedlabsinc.com
 FDA Registration #14353128308

Test Certificate

Description: Perfect Type II Collagen
 Sample ID:
 Lot No: #C092001
 Location:
 Received: 7/24/2023
 Completed: 7/31/2023

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 127963-03

Analysis	Result	Per Unit	Method
‡Arsenic	0.003	mcg/3200mg	ICP-MS USP <730>
‡Cadmium	0.003	mcg/3200mg	ICP-MS USP <730>
‡Mercury	<0.001	mcg/3200mg	ICP-MS USP <730>
‡Lead	0.022	mcg/3200mg	ICP-MS USP <730>

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Hebah B. Boaj
 Hebah Boaj-Quality Tech

Dated: 7/31/2023

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 7/31/2023 3:47:45 PM





8969 Cleveland Road Clayton, NC 27520
 Phone: (919) 989-7793 Fax: (919) 989-9226
 Email: NCLab@advancedlabsinc.com
 FDA Registration #14353128308

Test Certificate

Description: Perfect Type II Collagen
 Sample ID:
 Lot No: C021201
 Location:
 Received: 5/13/2022
 Completed: 5/20/2022

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 118003-05

Analysis	Result	Per Unit	Method
‡Mercury	<0.003	mcg/5 capsules	ICP-MS USP <730>
‡Lead	0.054	mcg/5 capsules	ICP-MS USP <730>
‡Arsenic	<0.003	mcg/5 capsules	ICP-MS USP <730>
‡Cadmium	0.037	mcg/5 capsules	ICP-MS USP <730>

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Bryant K. Harrison
 Bryant Harrison-Quality Manager

Dated: 5/20/2022

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 5/20/2022 3:55:09 PM



Test Certificate


Description: Powdered Collagen
Sample ID: Type 2 Collagen
Lot No: 9071702
Part Code:
Location:
PO No: Kimberly (Paid)
Received: 10/29/2019Client: Paul Morelli
Perfect Supplements
P.O. Box 60070
Florence, MA 01062Lab No: 91152-01
Completed: 11/5/2019

Analysis	Result	Per Unit	Specifications	Method
‡ Mercury	< 0.003	mcg/4capsules	Report	ICP-MS USP <730>
‡ Lead	0.053	mcg/4capsules	Report	ICP-MS USP <730>
‡ Arsenic	0.311	mcg/4capsules	Report	ICP-MS USP <730>
‡ Cadmium	0.010	mcg/4capsules	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Erin Taylor-Quality Technician I

Dated:

11/5/2019

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 11/5/2019 2:18:26 PM

