



8969 Cleveland Road, Clayton, NC 27520  
 Phone: 919-989-7793 Fax: 919-989-9226  
 Email: nclab@advancedlabsinc.com  
**FDA Registration #2000040668**

If you liked our service, please tell a friend. If you didn't, please tell us!

## Test Certificate

Description: Powdered Collagen  
 Sample ID: Type 2 Collagen  
 Lot No: 9071702  
 Part Code:  
 Location:  
 PO No: Kimberly (Paid)  
 Received: 10/29/2019


Client: Paul Morelli  
 Perfect Supplements  
 P.O. Box 60070  
 Florence, MA 01062

Lab No: 91152-01  
 Completed: 11/5/2019

Analysis	Result	Per Unit	Specifications	Method
‡ Mercury	< 0.003	mcg/4capsules	Report	ICP-MS USP <730>
‡ Lead	0.053	mcg/4capsules	Report	ICP-MS USP <730>
‡ Arsenic	0.311	mcg/4capsules	Report	ICP-MS USP <730>
‡ Cadmium	0.010	mcg/4capsules	Report	ICP-MS USP <730>

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:   
 Erin Taylor-Quality Technician I

Dated: 11/5/2019

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 11/5/2019 2:18:26 PM

